

## GLOVE SELECTION CHART



### RESISTANCE OF MATERIALS

**S** = Superior    **E** = Excellent    **G** = Good    **F** = Fair    **NR** = Not Recommended

CHEMICAL	Neoprene	Vinyl Plastic	Rubber Latex	Nitrile	Synthetic Latex	Natural Latex
alcohols	E	E	G	E	E	G
caustics	E	E	E	E	E	E
chlorinated solvents	G	F	NR	E	G	NR
ketones	G	NR	G	G	G	G
petroleum solvents	E	G	F	S	E	F
organic acids	E	E	E	E	E	E
inorganic acids	E	E	E	E	E	E
non-chlorinated solvents	G	F	NR	G	G	NR
insecticides	E	E	F	S	E	F
inks	E	E	F	S	E	F
formaldehyde	E	E	E	S	S	E
acrylonitrile	E	G	E	S	E	E
hydraulic fluid	E	E	F	S	E	F
carbon disulfide	NR	F	G	F	NR	G
paint remover	F	F	NR	E	F	NR

**WSU Office of Environmental Health & Safety**

5425 Woodward, Suite 300

Detroit, MI 48201

313-577-1200

[www.oehs.wayne.edu](http://www.oehs.wayne.edu)