	DAILLEITE HOOGING DAILI HOOM L	-	
MONTH/YEAR	BUILDING/ROOM	PI	

Completion and documentation of all husbandry activities is required and is the responsibility of the laboratory. Guidance and additional requirements are described in the Long-Term housing Policy on the IACUC website.

Rodent rooms should generally be maintained between 70-74°F and 30-70% relative humidity. Contact engineering and DLAR immediately if temperatures are <68°F or >79°F.

	 /			DAIL	Υ				WEE	KLY							
Date	Hool (III) Min	Jennos.	adturo /	Humice		Ho, cod nate	Section of the sectio	Sanii.	Che 3-168	Lat Hing.	s loitiels	/	NOTES		/	DUAR	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
	 /Min	Max	/ Min	Max	<u>/ 0</u>		$\widetilde{}$	/ 	-	\leftarrow			NOTES)			1
1																	-
2																	-
3																	-
4																	-
5																	-
6																	
7																	-
8																	-
9																	-
10																	-
11																	-
12																	-
13																	
14																	-
15							-										-
16																	-
17																	-
18																	-
19																	-
20																	-
21																	-
22																	
23																	
24																	-
25																	-
26																	-
27																	
28																	
29																	
30																	
31																	